

Arrow - Fix®



The clever solution to repair or reinforce your wood and bamboo arrows

Developed and made in Germany



Article	Description / Content	SRP incl. 19% VAT	Net Price
Package 1 (PA1)	<p>Arrow – Fix® basic body with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64" Taper tool with a sharpened blade out of tool steel 5° cone drill bit out of High Speed Steel (HSS) A selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64" Allen wrench for the calibration and adjustment of the drill O-Rings Operating Instructions Storage box <p>When ordering please indicate which diameter of the centering socket you would like. Instead of an aluminium socket a high-grade steel socket can be ordered for an additional charge of 10,- €</p>	158,60 €	133,28 €
Package 2 (PA2)	<p>Arrow – Fix® basic body with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64" Taper tool with a sharpened blade out of tool steel 5° cone drill bit out of High Speed Steel (HSS) A selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64" An additional selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64" Power drill holder with a diameter of 43mm, a standard diameter for power drills Allen wrench for the calibration and adjustment of the drill O-Rings Operating instruction Storage box <p>When ordering please indicate which 2 diameters of the centering socket you would like. Instead of aluminium sockets high-grade steel sockets can be ordered for an additional charge of 10,- € per socket.</p>	182,30 €	153,19 €
Package 3 (PA3)	<p>Arrow – Fix® basic body with integrated tapertool for the nock and point</p> <ul style="list-style-type: none"> Aluminium adapter cylinder for the tapertool for shaft diameters 5/16", 11/32" und 23/64" Taper tool with a sharpened blade out of tool steel 5° cone drill bit out of High Speed Steel (HSS) A selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64" An additional selection of a centering socket for a diameter of 5/16" or 11/32" or 23/64" T-Tip drilling device for the preparation of a centered boring in the arrow shaft in order to apply the tang points (T-Tip) 3 T-Tips, stainless steel, 100grain or 125grain 100g 5- Minute Epoxy (50g hardener und 50g resin) Power drill holder with a diameter of 43mm, a standard diameter for power drills Allen wrench for the calibration and adjustment of the drill O-Rings Operating Instructions Storage box <p>When ordering please indicate which 2 diameters of the centering socket you would like and your T-Tip selection. Instead of aluminium sockets high-grade steel sockets can be ordered for an additional charge of 10,- € per socket.</p>	205,90 €	173,03 €



Arrow - Fix®



The clever solution to repair or reinforce your wood and bamboo arrows

Developed and made in Germany



Arrow-Fix® Package - Variants and Combinations

Order Code	Packages			Aluminum Socket			High Grade Steel Socket			SRP incl. 19% VAT	Net Price
	Package 1	Package 2	Package 3	5/16"	11/32"	23/64"	5/16"	11/32"	23/64"		
PA1-0516	x			x						158,60 €	133,28 €
PA1-0516R	x						x			168,60 €	141,68 €
PA1-1132	x				x					158,60 €	133,28 €
PA1-1132R	x							x		168,60 €	141,68 €
PA1-2364	x					x				158,60 €	133,28 €
PA1-2364R	x								x	168,60 €	141,68 €
PA2-1632		x		x	x					182,30 €	153,19 €
PA2-16R32		x			x		x			192,30 €	161,60 €
PA2-16R32R		x					x	x		202,30 €	170,00 €
PA2-1632R		x		x				x		192,30 €	161,60 €
PA2-1664		x		x		x				182,30 €	153,19 €
PA2-16R64		x				x	x			192,30 €	161,60 €
PA2-16R64R		x					x		x	202,30 €	170,00 €
PA2-1664R		x		x					x	192,30 €	161,60 €
PA2-3264		x			x	x				182,30 €	153,19 €
PA2-32R64		x				x		x		192,30 €	161,60 €
PA2-32R64R		x						x	x	202,30 €	170,00 €
PA2-3264R		x			x				x	192,30 €	161,60 €
PA3-1632			x	x	x					205,90 €	173,03 €
PA3-16R32			x		x		x			215,90 €	181,43 €
PA3-16R32R			x				x	x		225,90 €	189,83 €
PA3-1632R			x	x				x		215,90 €	181,43 €
PA3-1664			x	x		x				205,90 €	173,03 €
PA3-16R64			x			x	x			215,90 €	181,43 €
PA3-16R64R			x				x		x	225,90 €	189,83 €
PA3-1664R			x	x					x	215,90 €	181,43 €
PA3-3264			x		x	x				205,90 €	173,03 €
PA3-32R64			x			x		x		215,90 €	181,43 €
PA3-32R64R			x					x	x	225,90 €	189,83 €
PA3-3264R			x		x				x	215,90 €	181,43 €

Please order the desired package – variant with the corresponding order-code and email your order to sales@arrow-fix.com



Price list for parts and accessories

Order Code	Arrow - Fix Parts / Accessories	SRP incl. 19% VAT	Net Price
afslev-0516	Centering socket, aluminum, diameter 5/16"	11,10 €	9,33 €
afslev-1132	Centering socket, aluminum, diameter 11/32"	11,10 €	9,33 €
afslev-2364	Centering socket, aluminum, diameter 23/64"	11,10 €	9,33 €
afslev-0516R	Centering socket, diameter 5/16", high-grade steel for hardwood	23,80 €	20,00 €
afslev-1132R	Centering socket, diameter 11/32", high-grade steel for hardwood	23,80 €	20,00 €
afslev-2364R	Centering socket, diameter 23/64", high-grade steel for hardwood	23,80 €	20,00 €
aforing	O-Ring	1,20 €	1,01 €
afblidi-0	Blade for the Arrow-Fix taper tool and Power Taper, length=31,7mm (till 2016)	6,70 €	5,63 €
afblidi-1	Blade for the Arrow-Fix taper tool and Power Taper, length=33,7mm (from 2016)	6,70 €	5,63 €
aftdrl	5° Cone drill bit	69,40 €	58,32 €
ttddl	T-Tip drilling device	15,90 €	13,36 €
drlholder	Power drill holder	17,70 €	14,87 €
epoxy	5-Minute Epoxy (50g Hardener + 50g Resin)	16,60 €	13,95 €



Order Code	Power Taper	SRP incl. 19% VAT	Net Price
ptn	Arrow-Fix® high speed nock taper tool for power drill (without socket)	46,10 €	38,74 €
ptn-16 ptn-32 ptn-64	Arrow-Fix® high speed nock taper tool for power drill, 5/16", 11/32" or 23/64" socket high grade steel of your choice	57,20 €	48,07 €
ptp	Arrow-Fix® high speed point taper tool with adjustable depth stop for power drill (without socket)	45,90 €	38,57 €
ptp-16 ptp-32 ptp-64	Arrow-Fix® high speed point taper tool with adjustable depth stop for power drill, 5/16", 11/32" or 23/64" socket high grade steel of your choice	58,60 €	49,24 €
ptset-16	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16" socket high grade steel	99,80 €	83,87 €
ptset-1632	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16" and 11/32" sockets	110,90 €	93,19 €
ptset-163264	Arrow-Fix® high speed nock and point taper tool-set for power drill, 5/16", 11/32" and 23/64" sockets high grade steel	122,50 €	102,94 €
ptslev-0516R	Centering socket for high speed taper tool, diameter 5/16", high-grade steel for hardwood	15,80 €	13,28 €
ptslev-1132R	Centering socket for high speed taper tool, diameter 11/32", high-grade steel for hardwood	15,80 €	13,28 €
ptslev-2364R	Centering socket for high speed taper tool, diameter 23/64", high-grade steel for hardwood	15,80 €	13,28 €



Price list for parts and accessories

Order Code	Adjustable drill guide for shafts	SRP incl. 19% VAT	Net Price
0516dri40p	Drill guide Ø 4.0mm for 5/16" wood and bamboo shaft • carbon fiber reinforced plastic • 4,0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm	21,30 €	17,90 €
1132dri40p	Drill guide Ø 4.0mm for 11/32" wood and bamboo shaft • carbon fiber reinforced plastic • 4,0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm	21,30 €	17,90 €
2364dri40p	Drill guide Ø 4.0mm for 11/32" wood and bamboo shaft • carbon fiber reinforced plastic • 4,0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm	21,30 €	17,90 €
	More diameters upon request		



Order Code	Spruce Footing with inner cone (Arrow-Reps)	SRP incl. 19% VAT	Net Price
ffd-0516	6pcs spruce footing, 5/16", two inner cones each with 5°, l=160mm	13,90 €	11,68 €
ffd-1132	6pcs spruce footing, 11/32", two outer cones each with 5°, l=160mm	13,90 €	11,68 €



Order Code	Footing with outer cone	SRP incl. 19% VAT	Net Price
ofd-0516	6pcs osage footing, 5/16", two outer cones each with 5°, l=160mm	16,10 €	13,53 €
bfd-0516	6pcs beech footing, 5/16" two outer cones each with 5°, l=160mm	16,10 €	13,53 €
bfd-1132	6pcs beech footing, 11/32", two outer cones each with 5°, l=160mm	16,10 €	13,53 €



Order Code	Tang footing	SRP incl. 19% VAT	Net Price
tfo-0516	6pcs osage tang-footing 5/16", 100mm long with 20mm tang, Ø 4,0mm	20,70 €	17,39 €
tfb-0516	6pcs beech tang-footing 5/16", 100mm long with 20mm tang, Ø 4,0mm	20,70 €	17,39 €
tfb-1132	6pcs beech tang-footing 11/32", 100mm long with 20mm tang, Ø 4,0mm	20,70 €	17,39 €




Order Code	Drillguide with tang-footing package	SRP incl. 19% VAT	Net Price
0516dri40ptfb	Drill guide Ø 4.0mm for 05/16" wood and bamboo shaft • carbon fiber reinforced plastic • 4.0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm • 6pcs beech tang-footing 5/16", 100mm long with 20mm tang, Ø 4,0mm	40,70 €	34,20 €
1132dri40ptfb	Drill guide Ø 4.0mm for 11/32" wood and bamboo shaft • carbon fiber reinforced plastic • 4.0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm • 6pcs beech tang-footing 11/32", 100mm long with 20mm tang, Ø 4,0mm	40,70 €	34,20 €
0516dri40ptfo	Drill guide Ø 4.0mm for 05/16" wood and bamboo shaft • carbon fiber reinforced plastic • 4.0mm drillbit with center point • drilling depth infinitely adjustable up to 40mm • 6pcs osage tang-footing 5/16", 100mm long with 20mm tang, Ø 4,0mm	40,70 €	34,20 €



Price list for parts and accessories

Order Code	Selfnock-Prisma	SRP incl. 19% VAT	Net Price
sfnck	Arrow-Fix® Selfnock V-Block, 3.0mm saw groove, nitrided, burnished	30,60 €	25,71 €
sfnckset	Arrow-Fix® Selfnock V-Block, 3.0mm saw groove, nitrided, burnished, saw cord	34,80 €	29,24 €



Order Code	Nocks	SRP incl. 19% VAT	Net Price
ln0516or	Lighted Arrow Nock, 5/16", for wood / bamboo, orange	5,10 €	4,29 €
ln1132or	Lighted Arrow Nock, 11/32", for wood / bamboo, orange	5,10 €	4,29 €
ttdist-ln	Spacer sleeve long for T-Tip drilling device for Lighted Arrow Nock mounting	3,20 €	2,69 €
hnock	Horn nock, shaft-Ø 4mm	2,30 €	1,93 €
wnock-0516	Hardwood nock (hornbeam), 5/16", with inside taper	0,80 €	0,67 €
wnock-1132	Hardwood nock (hornbeam), 11/32", with inside taper	0,80 €	0,67 €
tnock-h	Hardwood nock (hornbeam), shaft Ø 4mm	1,10 €	0,92 €



Order Code	Blitz – Broadheads	SRP incl. 19% VAT	Net Price
blitz	Blitz – single broadhead, 1.4112, 440B, 58 HRC, • double bevel 35° cut-on-contact convex edge, • 225grain (14,58g), • 5° inner cone • comes in a Blitz jewelry box	35,80 €	30,08 €
blitz-set	Blitz – 3 broadheads, 1.4112, 440B, 58 HRC, • double bevel 35° cut-on-contact convex edge, • 225grain (14,58g), • 5° inner cone, • in a leather pouch, • 1 Belgian Blue Wetstone	123,20 €	103,53 €
blitz-practice-point	Brass point, inner cone, 225grain (14,58g), compatible with ttst-7735-125 and scsst-screw-in tips	5,20 €	4,37 €
blitz-training-set	Blitz – single broadhead, 1.4112, 440B, 58 HRC, • double bevel 35° cut-on-contact convex edge, • 225grain (14,58g), • 5° inner cone, • comes in a Blitz jewelry box 1 Blitz-practice-point (Brass point), • 225grain (14,58g), • 5° inner cone, • compatible with ttst-7735-125 and scsst-screw-in tips, 2 Screw-in tip, Stainless Steel, Ø 7,8mm (5/16"), N8-32 UNC, • 100grain, 125grain or 145grain • o-ring to prevent from rattling loose, • combinable with glue on broadheads and Blitz-adapter	43,70 €	36,72 €
blitz-set-plus	Blitz – 3 broadheads, 1.4112, 440B, 58 HRC, • double bevel 35° cut-on-contact convex edge, • 225grain (14,58g), • 5° inner cone, • in a leather pouch, • 1 Belgian Blue Wetstone 3 Blitz-practice-points (Brass point), • 225grain (14,58g), • 5° inner cone, • compatible with ttst-7735-125 and scsst-screw-in tips, 6 Screw-in tip, Stainless Steel, Ø 7,8mm (5/16"), N8-32 UNC, • 100grain, 125grain or 145grain • o-ring to prevent from rattling loose, • combinable with glue on broadheads and Blitz-adapter	139,90 €	117,56 €



Price list for parts and accessories

Order Code	Points	SRP incl. 19% VAT	Net Price
ttsbl-125	T-Tip Burnished Steel, Ø 9,4mm, tapered tang 24,6mm, 125grain	0,50 €	0,42 €
ttsst-125	T-Tip Stainless Steel, Ø 9,4mm, tapered tang 25,0mm, 125grain	0,50 €	0,42 €
ttbrs-125	T-Tip Brass, Ø 9,4mm, tapered tang 17,1mm, 125grain	0,50 €	0,42 €
ttsst-7718-100	T-Tip Stainless Steel, Ø 7,7mm (~5/16"), cyl. tang 18mm, • 100grain, • combinable with 5° glue on broadheads and Ølitä-adapter	1,30 €	1,09 €
ttsst-7735-125	T-Tip Stainless Steel, Ø 7,7mm (~5/16"), cyl. tang 35mm, 125grain, • Brake-Off-Point for 100grain, • combinable with glue on broadheads and Ølitä-adapter	1,30 €	1,09 €
ttsst-7716-70	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 16mm, 70grain	1,30 €	1,09 €
ttsst-7723-80	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 23mm, 80grain, • Brake-Off-Point for 70grain	1,30 €	1,09 €
ttsst-7738-100	T-Tip Stainless Steel, Bullet, Ø 7,7mm (~5/16"), cyl. tang 38mm, 100grain • Brake-Off-Point for 80grain, • Brake-Off-Point for 70grain	1,30 €	1,09 €
ttbrs-7140-100	T-Tip Brass, Ø 9/32" (7,14mm), 100grain, • Shaft-Ø 4,0mm, • Shaft-length 40mm, • Brake-Off-Point for 80grain, • Brake-Off-Point for 60grain • smaller diameter, ideal for lighter bamboo shafts,	1,30 €	1,09 €
ttsbl-7140-100	T-Tip Burnished Steel, Ø 9/32" (7,14mm), 100grain • Shaft-Ø 4,0mm, • Shaft-length 40mm, • Brake-Off-Point for 80grain, • Brake-Off-Point for 60grain, • smaller diameter, ideal for lighter bamboo shafts	1,30 €	1,09 €
ttsst-7140-125	T-Tip Stainless Steel, Ø 9/32" (7,14mm), 125grain • Shaft-Ø 4,0mm, • Shaft-length 40mm, • Brake-Off-Point for 100grain, • combinable with 5° glue on broadheads, and Ølitä-adapter • smaller diameter, ideal for lighter bamboo shafts	1,30 €	1,09 €
ttsst-7038-95	T-Tip Stainless Steel, Bullet, Ø 7,0mm (~9/32"), cyl. tang 38mm, 95grain • Brake-Off-Point for 75grain, • Brake-Off-Point for 65grain • smaller diameter, ideal for lighter bamboo shafts	1,30 €	1,09 €
scsst-7819-100	Screw-in tip, Stainless Steel, Ø 7,8mm (5/16"), N8-32 UNC, • 100grain, • o-ring to prevent from rattling loose, • combinable with glue on broadheads and Ølitä-adapter	1,80 €	1,51 €
scsst-7819-125	Screw-in tip, Stainless Steel, Ø 7,8mm (5/16"), N8-32 UNC, • 125grain, • o-ring to prevent from rattling loose, • combinable with glue on broadheads and Ølitä-adapter	1,80 €	1,51 €
scsst-7819-145	Screw-in tip, Stainless Steel, Ø 7,8mm (5/16"), N8-32 UNC, • 145grain, • o-ring to prevent from rattling loose, • combinable with glue on broadheads and Ølitä-adapter	1,80 €	1,51 €



Price list for parts and accessories

Order Code	Carbonshaft repairkits	SRP incl. 19% VAT	Net Price
inalu-64-185	Carbonshaft-repairkit (RepInsert-C), • aluminium shaft Ø 6,0mm, • l=83,0mm, • point stainless steel Ø 5/16", 125grain, • combinable with 5° glue on broadheads and Blitz-adapter • total weight 185grain	2,20 €	1,85 €
inbrs-64-220	Carbonshaft-repairkit (RepInsert-C), • brass shaft Ø 6,0mm, • l=83,0mm, • point stainless steel Ø 5/16", 125grain, • combinable with 5° glue on broadheads and Blitz-adapter • total weight 220grain	2,25 €	1,89 €
insst-54-195	Carbonshaft-repairkit (RepInsert-C), • stainless steel shaft Ø 5,0mm, • l=83,0mm, • point stainless steel Ø 5/16", 125grain, • combinable with 5° glue on broadheads and Blitz-adapter • total weight 195grain	4,90 €	4,12 €



Order Code	Tonkin Bamboo – Shafts	SRP incl. 19% VAT	Net Price
bs-2530	Tonkin bamboo shaft, 33" (84cm) long, Spine 25 – 30 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-2530s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 25 – 30 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-3035	Tonkin bamboo shaft, 33" (84cm) long, Spine 30 – 35 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-3035s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 30 – 35 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-3540	Tonkin bamboo shaft, 33" (84cm) long, Spine 35 – 40 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-3540s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 35 – 40 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-4045	Tonkin bamboo shaft, 33" (84cm) long, Spine 40 – 45 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-4045s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 40 – 45 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-4550	Tonkin bamboo shaft, 33" (84cm) long, Spine 45 – 50 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-4550s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 45 – 50 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-5055	Tonkin bamboo shaft, 33" (84cm) long, Spine 50 – 55 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-5055s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 50 – 55 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-5560	Tonkin bamboo shaft, 33" (84cm) long, Spine 55 – 60 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-5560s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 55 – 60 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-6065	Tonkin bamboo shaft, 33" (84cm) long, Spine 60 – 65 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-6065s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 60 – 65 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €
bs-6570	Tonkin bamboo shaft, 33" (84cm) long, Spine 65 – 70 lbs, sanded nodes, waxed	3,20 €	2,69 €
bs-6570s	6 Tonkin bamboo shafts, 33" (84cm) long, Spine 65 – 70 lbs, sanded nodes, waxed, sorted ± 0,5 gram	25,50 €	21,43 €



Price list for parts and accessories

Order Code	Feathers and Winding	SRP incl. 19% VAT	Net Price
feather-set6	Featherset for 6 shafts, trueflight • 4" shield, LW • 12 x white • 6 x trad bronze, turkey	20,10 €	16,89 €
winding-set6	Windingset for 6 shafts • 6 x 160cm, • Ø 0,2mm • high-strength polyester thread Mara 120	2,90 €	2,44 €

Order Code	Atlatl	SRP incl. 19% VAT	Net Price
atlatl	Atlatl in dual-wood combination with antler point	39,90 €	33,53 €
dart	Dart for Atlatl (assembly set)	19,50 €	16,39 €
atdrl	Drilling device Ø 8,0mm for Atlatl-Dart	13,20 €	11,09 €
afslev-13R	Centering socket, diameter 13,0mm, high-grade steel for Atlatl-Dart	19,10 €	16,05 €

Order Code	Blowgun	SRP incl. 19% VAT	Net Price
blgun1200	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 1200mm, 3 darts	24,90 €	20,92 €
blgun1000	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 1000mm, 3 darts	22,90 €	19,24 €
blgun800	Arrow-Fix® Blowgun, anodized precision aluminium pipe, 10mm inner diameter (Cal .40), length 800mm, 3 darts	19,90 €	16,72 €
blgundart	Dart for 10mm (Cal .40), felt body, steel needle	1,00 €	0,84 €

Order Code	Arrow - Pen	SRP incl. 19% VAT	Net Price
arrow-pen	Writing utensil made out of recycled wooden- or bamboo arrow with different ball-point on wooden base	19,90 €	16,72 €



How to order

1. Select the items and quantities
2. Email your order incl. shipping / billing address to sales@arrow-fix.com
3. An order confirmation / invoice will be sent to you
4. Payments can be made by PayPal or bank transfer
5. PayPal payment will be assumed if nothing else is stated on the order
6. Shipping upon payment within the next 2 working days with DHL and tracking code

